

RBM Prislister

DKK | Vejl. udsalgspriser ekskl. moms.

Gældende fra 01.01.2023



2023-01



Bringing life to rooms

Table of contents

General sales and delivery terms	3
RBM Ana	5
RBM Bella	7
RBM Noor 4-leg	9
RBM Noor Sledgebase	12
RBM Noor Footbase	15
RBM Noor Wooden legs	18
RBM Noor Up	21
RBM Allround	24
RBM u-Connect	28
RBM Eminent	31
RBM Standard Folding Table	34
Physical measurements for RBM chairs	38
Table/chair suspension bracket system - for RBM Eminent table	39
Tests and Certificates	40
RBM Standard Fabric & Colour Collection	41
RBM Extended Fabric & Colour Collection	50
RBM Matrix Chair Shell	51
RBM Matrix Chair Legs	52
RBM Table Colours and materials	53
RBM Matrix Tables	54

General sales and delivery terms

This document applies for contracted distributors of RBM in Denmark (including Faroe Islands and Greenland).

STANDARD DELIVERY TIMES FROM FACTORY

	Working days
RBM Standard Fabric & Colour Collection	10 - 15
RBM Curated Fabric & Colour Collection	15 - 20
RBM Extended Fabric & Colour Collection	20 - 25*
Special and COM - fabrics and leather	on request
RBM Standard surface/stain colours/wooden chairs	15
RBM Extended surface/stain colours/wooden chairs	20 - 30*
RBM Standard Table Top and Base Collection	20 - 30
RBM Extended Table Top and Base Collection	30 - 35*
RBM Extended Table Top Linoleum	35*

1-2 (on chairs) and 5-6 (on tables) transport days to be added on top of production lead time.

* Provided available at suppliers stock.

Longer delivery times may occur periodically, during holidays and for especially large orders.

Order entry specification

Please specify the following information when placing an order for RBM products:

- Product model code/name
- Number of products
- Fabric/leather and Colour Code on chair
- Wooden, stain surface, plastic and table top colour/type
- Colour/paint on foot base/frame for chairs and tables
- Type of castors or glides
- Type of gas lift
- Options. Eg. armrests, linking device
- Desired delivery date
- Delivery address
- Project no. (if any)

Prices

All prices are recommended retail prices in DKK excl. VAT. Prices are valid from 01.01.2023. Quotations are valid for 30 days unless otherwise agreed. Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

Payment terms

Subject to local sales agreement. Interest charged for non-payment according to current terms. All goods remain the property of Flokk A/S until payment is made in full.

Conditions of Delivery

Ex Works (Incoterms 2020), including packaging. A 3% transportation & energy cost surcharge on the net order value will be applied to all orders with delivery terms agreed different from Ex Works.

Shipping fee of 5% of the net order value (min. DKK 250) is added on all orders, which is not delivered to addresses used or owned by the distributor.

Time specific delivery on a specific date and time indication costs DKK 5.000 per. order and must be ordered no later than five days before the sending date via Customer Service, Flokk A/S.

Visible transport damage and discrepancies in the number of items received must always be noted on the bill of carriage at the time of receipt and reported to the carrier. Invisible transport damage (damaged product, but not package) should be reported in writing to Customer Service, Flokk A/S within 7 days.

Change/cancellation of orders on chairs, tables or upholsteries

Change/cancellation of orders on chairs or upholsteries is possible up until production has begun.

Each amended or cancelled order will incur a charge:

- Amended order (all changes & cancellations) before production start will incur a charge of 500 DKK per order
- Amended order & cancellations after purchasing has started will incur a charge of 750 DKK per order + cost of materials

For further information regarding change/cancellation of orders, please feel free to contact Customer Service, Flokk A/S.

RBM WARRANTY

General terms and conditions

Flokk's warranty covers all RBM products against material and manufacturing faults and defects from the product's production date. The warranty covers any necessary spare parts. Labour and transport costs are not covered. Wear and tear must be expected from normal use and are not covered by the warranty. Unless otherwise specified, the maximum weight for users of chairs is 110 kg. The warranty is conditional on the chair/table and fabrics/leather undergoing normal cleaning.

5 year warranty for RBM products (from 01.01.2021)

Flokk provides a 5 year warranty for all RBM chairs and tables that are in normal use for up to 9 hours per day. Please also see the general warranty terms and conditions.

Maintenance guide

Care of Fabric Upholstery: Regular vacuum cleaning is recommended. Marks and stains should be removed with a proprietary cleaner.

Care of Leather Upholstery: Wipe with a slightly damp cloth and gently rub dry. A good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat source.

For laminated table tops and unupholstered surfaces on chairs, clean with a soft, damp, non-abrasive cotton cloth and a mild liquid detergent.

For additional maintenance advice please contact our customer service team.

Standard Fabric & Colour Collection

Flokk provides a 5 year warranty for RBM chairs upholstered in fabrics/leather from the RBM Standard Fabric & Colour Collection when the chair is in normal use for up to 9 hours per day. Flokk provides a 2 year warranty for RBM chairs upholstered in fabrics/leather from the RBM Standard Fabric & Colour Collection when the chair is in normal use for more than 9 hours per day.

Curated Fabric & Colour Collection

Flokk provides a 5 year warranty for RBM chairs upholstered in fabrics from the RBM Curated Fabric & Colour Collection when the chair is in normal use for up to 9 hours per day. Flokk provides a 2 year warranty for RBM chairs upholstered in fabrics from the RBM Curated Fabric & Colour Collection when the chair is in normal use for more than 9 hours per day.

Extended Fabric & Colour Collection

Flokk provides a 5 year warranty for RBM chairs upholstered in fabrics/leather from the RBM Extended Fabric & Colour Collection when the chair is in normal use for up to 9 hours per day. Some of the fabrics in the RBM Extended Fabric & Colour Collection are available with a 2 year warranty for 24 hour use (for use of more than 9 hours per day).

Special fabrics/leather or Customers Own Material (COM)

If the fabrics in the Standard, Curated or Extended collections are not what you are looking for, please contact Customer Service, Flokk A/S. When choosing Special or Customer specified fabric/leather the general warranty terms and conditions are still valid, except for the upholstery which will be without any warranty. This does not affect your rights and obligations under local law. Customer specified fabrics/leather can only be used following approval by Flokk.

Fabrics and leathers that are not tested on our products, need to have an upholstery test before we can approve it and the order can be registered. Cost (DKK 1.545) for testing will be charged.

The general warranty terms and conditions cover the chair against material and manufacturing faults, but not the upholstery.

Quality – Certifications

Flokk is ISO 9001 accredited.

RBM Ana, RBM Bella, RBM Noor and RBM Noor Up: tested according to EN 16139.

RBM Ana and RBM Noor 6050: tested according to EN 1729.

RBM Noor and RBM Noor Up: tested according to GS (Germany).

RBM Noor and RBM Noor Up: tested according to BIFMA (USA).

RBM Noor and RBM Noor Up: tested according to AFRDI Green Tick (Australia).

RBM Noor Sledgebase: tested according to AFRDI Blue Tick 151 Rated Load (Australia).

RBM Noor Up: tested according to AFRDI Blue Tick Level 4 (Australia).

RBM Ana, RBM Noor 4-leg, RBM Noor Footbase, RBM Noor Wooden legs and RBM Noor Up: tested according to Möbelfakta (Sweden).

RBM Allround, RBM u-Connect, RBM Eminent and RBM Standard Folding Table: tested according to EN 15372.

RBM Allround, RBM u-Connect and RBM Standard Folding Table: tested according to Möbelfakta (Sweden).

Please contact us for further information or test reports.

Disclaimer

Flokk disclaims any responsibility for products that are configured or assembled in a different way than Flokk's official configurations. That is, as a result of component purchases, special orders or the like.

Environmental responsibility

Environmental considerations on our products and the manufacturing of our products are at the heart of our business. Flokk is thus certified in accordance with ISO 14001:2015 environment and ISO 50001:2018 energy management systems. Most of the materials used in RBM products can be recycled if handled properly. A complete material composition for each RBM product is available on request.

RBM Noor & Noor Up, RBM Ana and RBM Bella are all GREENGUARD Gold Certified.

The environmental life cycle impact is documented in Environmental Product Declarations (EPD) for RBM Ana, RBM Noor 4-leg, RBM Noor Sledgebase, RBM Noor Wooden legs and RBM Noor Up. EPD is also documented for RBM Standard Folding Table.

A selection of RBM products are tested and approved according to the Swedish Möbelfakta requirements as described above.

Packaging Material

We encourage you to ensure recycling of all packaging material. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations.

If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

End of life – recycling

We encourage you to ensure proper recycling of your chair and its various components. Please dispose of your chair/components using your local recycling partners/stations - and follow your local regulations. If you have questions on how to dispose or return your chair after use, please inform your contact person within Flokk.

Fire resistance

On request. Please contact our customer service for further information.

Customer Service, Flokk A/S

Phone: +45 99 50 55 00

E-mail: info-dk@flokk.com

Monday - Wednesday 08.00 - 16.00

Thursday 09.00 - 16.00

Friday 08.00 - 15.00

RBM Ana

- Polypropylene (PP) shell in various colours. Graphite colour in recycled PP. See below Accessories/options. See also last pages of price list for complete matrix - RBM Chair Colours & Materials
- Frame of 19 x 1.5 mm tubular steel available in various colours. See below Accessories/options. See also last pages of price list for complete matrix - RBM Chair Colours & Materials
- For fabrics, see RBM Standard, Curated and Extended Fabric & Colour Collection
- Weight 3.7 kg model 4340
- Height: Seat 430 mm, Back 400 mm, Chair width 490 mm, Chair height 825 mm, Chair depth 515 mm
- Stackable up to 12 chairs without upholstery (height: 1.83 m), 10 chairs with seat upholstery (height: 1.65 m) and 7 chairs with seat and back upholstery
- Can be linked together using linking device - see options
- Table suspension RBM Ana. See RBM Eminent table
- The chair is tested in accordance with EN 16139, EN 1729 and Möbelfakta (Sweden)
- Environmental Product Declaration (EPD). RBM Ana 4340: 13.92 kg CO₂-eq Graphite colour
- GREENGUARD Gold Certified
- Design by Tias Eckhoff


Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	Price
4340	RBM Ana 4340 • Without upholstery							655
4340s	RBM Ana 4340S • Upholstered seat • Customer's fabric: 2 chairs/seat 51 cm. fabric width min. 130 cm. PG 3		1064	1091	1187	1251	1361	
4340sr	RBM Ana 4340SR • Upholstered seat and back • Customer's fabric: 1 chair 51 cm. Fabric width min. 130 cm. PG 3		1392	1419	1548	1632	1776	

Accessories/Options/Surcharges:

M400-1/2/3/4	Writing tablet in 12 mm beech or birch veneer. Right/left	951
	Linking device, welded. Must be specified at time of order. Can not be retrofitted. Please observe that chairs with linking device manufactured before January 2021 are not compatible with the current version	99
RS091016	Plastic link, black, detachable	37
RS092031	Felt glides for hard floors, front legs, per unit	15
RS092032	Felt glides for hard floors, back legs, per unit	15
149285	Chair trolley	2824

S=Standard Collection - normal delivery time from factory 10-15 working days. Applicable when all component options (fabric, shell, frame/legs) are standard (S).

E=Extended Collection - normal delivery time from factory 20-30 working days. Applicable when any or all component options selected are extended (E). For larger orders, please contact Customer Service for delivery details.



149285

RBM Bella

- 10 mm chair shell in moulded veneer or CPL in various colours. Beech is standard configuration. (See below Accessories/options.) Please note additional price for optional finishes marked with *. See also last pages of price list for complete matrix - RBM Chair Colours & Materials.
- For colours and materials, see below Accessories/options. See also last pages of price list for complete matrix - RBM Chair Colours & Materials
- Frame of 16 x 2 mm tubular steel in various colours. (See below Accessories/options.) See also last pages of price list for complete matrix - RBM Chair Colours & Materials
- For fabrics, see RBM Standard and Extended Fabric & Colour Collection
- Weight: 5.0 kg model 4445, 6.4 kg model 4446
- Measurements for 4445: Seat 450 mm, Back 480 mm, Chair width 520 mm, Chair height 942 mm, Chair depth 550 mm
- Measurements for 4446: Seat height 450 mm, Back height 480 mm, Chair width 540 mm, Chair height 950 mm, Chair depth 540 mm
- Stackable up to 6 chairs with/without upholstery. (May leave marks on upholstery after long periods)
- Interlockable, using optional link device
- Armrest tops in solid beech or birch as standard. Please note additional price for optional finishes: oak or white painted - see Accessories/options
- The chair is tested in accordance with EN 16139
- GREENGUARD Gold Certified
- Design by Tias Eckhoff

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
4445	RBM Bella 4445 • Without upholstery									2094
4446	RBM Bella 4446 • Chair with armrests • Without upholstery									2720
4445s	RBM Bella 4445S • Upholstered seat • Customer's fabric: 2 chairs/seat 52 cm. Fabric width min. 130 cm. PG 3		2546	2591	2720	2849	3238	3808	4454	
4445o	RBM Bella 4445O • Upholstered front inside • Customer's fabric: 1 chair 52 cm. Fabric width min. 130 cm. PG 3		2980	3053	3207	3358	3817	4487	5249	
4446s	RBM Bella 4446S • Chair with armrests • Upholstered seat • Customer's fabric: 2 chairs/seat 52 cm. Fabric width min. 130 cm. PG 3		3173	3218	3379	3543	4024	4733	5537	

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
4446o	RBM Bella 4446O <ul style="list-style-type: none"> • Chair with armrests • Upholstered front inside • Customer's fabric: 1 chair 52 cm. • Fabric width min. 130 cm. PG 3 		3610	3679	3863	4049	4601	5409	6328	


Accessories/Options/Surcharges:

	Additional price* for Birch and Oak veneer, CPL laminate and stained veneer	258
	Additional price for oak or white painted armrest tops. (Only for: 4446, 4446s, 4446o)	43
449900000	Armrest rubber knob for table suspension (2 pcs per chair)	129
99000004	Linking device, fitted, per chair	326
RS092089	Felt glides for hard floors, Ø24 mm, back (per unit)	18
RS092093	Felt glides for hard floors, Ø18 mm, front (per unit)	18
149285	Chair trolley	2824

S=Standard Collection - normal delivery time from factory 10-15 working days. Applicable when all component options (fabric, shell, frame/legs) are standard (S).

E=Extended Collection - normal delivery time from factory 20-30 working days. Applicable when any or all component options selected are extended (E).

For larger orders, please contact Customer Service for delivery details.



149285



Chair Upholstery Options:

- Oak* (S)
- Beech (S)
- Graphite* (E) (Dark stained Beech)
- Birch* (S)
- White CPL* (S)
- Grey CPL* (E)

Chair Frame Options:

- Snow (E)
- Black (S)
- Metalsilver (S)
- Steelgrey (S)

RBM Noor 4-leg

- For colours and materials, see below Accessories/options. See also last pages of price list for complete matrix – RBM Chair Colours & Materials
- For fabrics, see RBM Standard, Curated and Extended Fabric & Colour Collection
- 6–8 mm polypropylene (PP) and 6.7 mm 3D veneer shells (oak or dark stained oak*)
- 16x2 mm 4 leg tubular steel base
- Weight: 5.7 kg model 6050, 4.7 kg model 6055
- Seat height 439 mm, Back height 357 mm, Chair width 543 mm, Chair width w/armrests 550 mm, Chair height 835 mm, Chair depth 490 mm
- Armrests available in matching colours to frame
- Stackable up to 10 chairs, 5 chairs with armrests (upholstered and unupholstered models)
- Table suspension for RBM Noor 6050/55 to RBM Eminent frame table available (See Eminent table)
- Tested according to EN 16139, EN 1729 (RBM Noor 6050), GS, BIFMA (USA), AFRDI Green Tick (Australia) and Möbelfakta (Sweden)
- Environmental Product Declaration (EPD). RBM Noor 6050: 15.66 kg CO₂-eq
- GREENGUARD Gold Certified
- Red Dot Design award 2013
- Norwegian Design Council – Award for Design Excellence
- Design by StokkeAustad, Form Us With Love, Susanne Grønland Design and Flokk design team

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
6050	RBM Noor 6050 • Polypropylene chair									1 463
6055	RBM Noor 6055 • 3D veneer chair • Oak									5 123
6050s	RBM Noor 6050S • Polypropylene chair • Seat upholstery • Customer's fabric: 2 chairs/seat 50 cm. fabric width min. 130 cm. PG 3		1 686	1 724	1 808	1 860	2 099	2 374	2 778	
6050sb	RBM Noor 6050SB • Polypropylene chair • Seat + back upholstery • Customer's fabric: 1 chair 53 cm. Fabric width min. 130 cm. PG 3		1 946	1 986	2 086	2 144	2 423	2 741	3 207	
6050f	RBM Noor 6050F • Polypropylene chair • Fully upholstered in selected fabrics. See below Accessories/options for complete list		2 346	2 391	2 513	2 582	2 919			

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
6055s	RBM Noor 6055S • 3D veneer chair • Oak • Seat upholstery • Customer's fabric: 2 chairs/seat 50 cm. fabric width min. 130 cm. PG 3		5 276	5 384	5 652	5 813	6 569	7 426	8 689	

6055sb	RBM Noor 6055SB • 3D veneer chair • Oak • Seat + back upholstery • Customer's fabric: 1 chair 53 cm. Fabric width min. 130 cm. PG 3		5 535	5 647	5 931	6 098	6 889	7 791	9 116
--------	---	---	-------	-------	-------	-------	-------	-------	-------

Accessories/Options/Surcharges:

	Additional price* for dark stained oak 3D veneer shell (Only for: 6055, 6055s, 6055sb)	314
4107	RBM Noor armrests - pair	716
99000005	RBM Row connection device	80
31049-02	Felt glides, grey (per pcs)	16
31049-01	Felt glides, black (per pcs)	16
149285	Chair trolley	2 824

S=Standard Collection – normal delivery time from factory 10-15 working days. Applicable when all component options (fabric, shell, frame/legs) are standard (S).

E=Extended Collection – normal delivery time from factory 20-30 working days. Applicable when any or all component options selected are extended (E).

For larger orders, please contact Customer Service for delivery details.

RBM Noor F

Fully upholstered model 6050F – available in various fabrics and colours

Available in Standard fabrics/colours:

- Price group 1: Xtreme – Camira, Cura - Gabriel
- Price group 2: Select – Gabriel
- Price group 3: Oceanic – Camira, Capture, Focus, Focus Melange – Gabriel
- Price group 4: Sirdal, Suldal – GU, Steelcut 3 & Steelcut Trio 3 – Kvadrat

Available in Flokk & Kvadrat Curated collection (standard and non-standard colours):

- Price group 3: Re-wool
- Price group 4: Melange Nap
- Price group 5: Twill Weave

Available in Extended fabrics/colours:

- Price group 3: 24/7+, Main Line Flax, Nexus, Oceanic*, Synergy, Xtreme* – Camira, Capture*, Cura*, Cyber, Fame, Focus*, Focus Melange*, Gaja Classic, Go Check, Select*, Step, Step Melange – Gabriel
- Price group 4: Blazer – Camira, Bardal, Setesdal, Sirdal*, Suldal* – GU, Steelcut 3* & Steelcut Trio 3* – Kvadrat, Acton - Vescom
- Price group 5: Amdal, Gandal+ – GU, Hallingdal 65
- Price on request: Global ESD – Bogesunds

* = non-standard colours



RBM Noor Sledgebase

- For colours and materials, see below Accessories/options. See also last pages of price list for complete matrix – RBM Chair Colours & Materials
- For fabrics, see RBM Standard, Curated and Extended Fabric & Colour Collection
- 6-8 mm polypropylene (PP) and 6.7 mm 3D veneer shells (oak or dark stained oak*)
- 12 mm steel sledgebase
- Weight: 6.5 kg model 6060, 6.2 kg model 6065
- Seat height 439 mm, Back height 357 mm, Chair width 557 mm, Chair height 835 mm, Chair depth 525 mm
- Armrests available in matching colours to frame
- Stackable up to 10 chairs, 5 chairs with armrests (upholstered and unupholstered models)
- Table suspension for RBM Noor 6060/65 to RBM Eminent frame table available. See RBM Eminent table
- Tested according to EN 16139, GS, BIFMA (USA), AFRDI Green Tick and AFRDI Blue Tick 151 Rated Load (Australia) and Möbelfakta (Sweden)
- Environmental Product Declaration (EPD). RBM Noor 6060: 19.14 kg CO₂-eq
- GREENGUARD Gold Certified
- Red Dot Design – 'Best of the best' award winner 2013
- Norwegian Design Council – Award for Design Excellence
- Design by StokkeAustad, Form Us With Love, Susanne Grønlund Design and Flokk design team

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
6060	RBM Noor 6060 • Polypropylene chair									1673
6065	RBM Noor 6065 • 3D veneer chair • Oak									5333
6060s	RBM Noor 6060S • Polypropylene chair • Seat upholstery • Customer's fabric: 2 chairs/seat 50 cm. fabric width min. 130 cm. PG 3		1890	1930	2027	2085	2353	2663	3115	
6060sb	RBM Noor 6060SB • Polypropylene chair • Seat + back upholstery • Customer's fabric: 1 chair 53 cm. Fabric width min. 130 cm. PG 3		2151	2194	2306	2371	2678	3028	3544	
6060f	RBM Noor 6060F • Polypropylene chair • Fully upholstered in selected fabrics. See below Accessories/options for complete list		2558	2607	2738	2816	3182			

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
6065s	RBM Noor 6065S • 3D veneer chair • Oak • Seat upholstery • Customer's fabric: 2 chairs/seat 50 cm. fabric width min. 130 cm. PG 3		5479	5592	5871	6039	6822	7716	9028	

6065sb	RBM Noor 6065SB • 3D veneer chair • Oak • Seat + back upholstery • Customer's fabric: 1 chair 53 cm. Fabric width min. 130 cm. PG 3		5739	5857	6148	6324	7143	8081	9455
--------	---	---	------	------	------	------	------	------	------

Accessories/Options/Surcharges:

	Additional price* for dark stained oak 3D veneer shell (Only for: 6065, 6065s, 6065sb)	314
4107	RBM Noor armrests - pair	716
99000005	RBM Row connection device	80
PD303	Felt glides - 4 units. (Spare part art.no. 125183 per unit)	64
149285	Chair trolley	2824

S=Standard Collection – normal delivery time from factory 10-15 working days. Applicable when all component options (fabric, shell, frame/legs) are standard (S).

E=Extended Collection – normal delivery time from factory 20-30 working days. Applicable when any or all component options selected are extended (E).

For larger orders, please contact Customer Service for delivery details.

RBM Noor F

Fully upholstered model 6060F – available in various fabrics and colours

Available in Standard fabrics/colours:

- Price group 1: Xtreme – Camira, Cura - Gabriel
- Price group 2: Select – Gabriel
- Price group 3: Oceanic – Camira, Capture, Focus, Focus Melange – Gabriel
- Price group 4: Sirdal, Suldal – GU, Steelcut 3 & Steelcut Trio 3 – Kvadrat

Available in Flokk & Kvadrat Curated collection (standard and non-standard colours):

- Price group 3: Re-wool
- Price group 4: Melange Nap
- Price group 5: Twill Weave

Available in Extended fabrics/colours:


- Price group 3: 24/7+, Main Line Flax, Nexus, Oceanic*, Synergy, Xtreme* – Camira, Capture*, Cura*, Cyber, Fame, Focus*, Focus Melange*, Gaja Classic, Go Check, Select*, Step, Step Melange – Gabriel
- Price group 4: Blazer – Camira, Bardal, Setesdal, Sirdal*, Suldal* – GU, Steelcut 3* & Steelcut Trio 3* – Kvadrat, Acton - Vescom
- Price group 5: Amdal, Gandal+ – GU, Hallingdal 65
- Price on request: Global ESD – Bogesunds

* = non-standard colours



RBM Noor Footbase

- For colours and materials, see below Accessories/options. See also last pages of price list for complete matrix – RBM Chair Colours & Materials
- For fabrics, see RBM Standard, Curated and Extended Fabric & Colour Collection
- 6-8 mm polypropylene (PP) and 6.7 mm 3D veneer shells (oak or dark stained oak*)
- Standard gaslift B black
- Weight: 8.0 kg model 6070, 7.6 kg model 6075
- Seat height 355-490 mm, back height 357 mm, chair width and depth 665 mm, chair height 727-857 mm
- Seat mechanism and footbase (Ø665 mm) in black painted aluminium as standard.
- Polished aluminium seat mechanism and footbase available as option. Seat mechanism, gaslift and footbase in white lacquered aluminium available as option
- Armrest available in black, white or metal silver
- Table suspension for RBM Noor 6070/75 to RBM Eminent frame table available. See RBM Eminent table
- Tested according to EN 16139, GS, BIFMA (USA), AFRDI Green Tick (Australia) and Möbelfakta (Sweden)
- GREENGUARD Gold Certified
- Red Dot Design Award 2013
- Norwegian Design Council – Award for Design Excellence
- Design by StokkeAustad, Form Us With Love, Susanne Grønlund Design and Flokk design team

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
6070	RBM Noor 6070 • Polypropylene chair									2438
6075	RBM Noor 6075 • 3D veneer chair • Oak									6098
6070s	RBM Noor 6070S • Polypropylene chair • Seat upholstery • Customer's fabric: 2 chairs/seat 50 cm. fabric width min. 130 cm. PG 3		2645	2700	2833	2916	3291	3723	4356	
6070sb	RBM Noor 6070SB • Polypropylene chair • Seat + back upholstery • Customer's fabric: 1 chair 53 cm. Fabric width min. 130 cm. PG 3		2901	2962	3109	3199	3615	4087	4782	
6070f	RBM Noor 6070F • Polypropylene chair • Fully upholstered in selected fabrics. See below Accessories/options for complete list		3335	3404	3572	3675	4150			

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
6075s	RBM Noor 6075S • 3D veneer chair • Oak • Seat upholstery • Customer's fabric: 2 chairs/seat 50 cm. fabric width min. 130 cm. PG 3		6 230	6 358	6 675	6 868	7 759	8 776	10 268	

6075sb	RBM Noor 6075SB • 3D veneer chair • Oak • Seat + back upholstery • Customer's fabric: 1 chair 53 cm. Fabric width min. 130 cm. PG 3		6 491	6 623	6 956	7 153	8 080	9 140	10 693
--------	---	---	-------	-------	-------	-------	-------	-------	--------

Accessories/Options/Surcharges:

	Additional price* for dark stained oak 3D veneer shell (Only for: 6075, 6075s, 6075sb)	314
4107	RBM Noor armrests - pair	716
	Additional price* for seat mechanism and footbase in polished aluminium	490
	Additional price* for seat mechanism, gaslift and footbase in white aluminium	407
125190	Castors Ø65 mm for soft floors, black	0
125182	Glides, 58 mm	0

S=Standard Collection – normal delivery time from factory 10-15 working days. Applicable when all component options (fabric, shell, frame/legs) are standard (S).

E=Extended Collection – normal delivery time from factory 20-30 working days. Applicable when any or all component options selected are extended (E).

For larger orders, please contact Customer Service for delivery details.

RBM Noor F

Fully upholstered model 6070F – available in various fabrics and colours

Available in Standard fabrics/colours:

- Price group 1: Xtreme – Camira, Cura - Gabriel
- Price group 2: Select – Gabriel
- Price group 3: Oceanic – Camira, Capture, Focus, Focus Melange – Gabriel
- Price group 4: Sirdal, Suldal – GU, Steelcut 3 & Steelcut Trio 3 – Kvadrat

Available in Flokk & Kvadrat Curated collection (standard and non-standard colours):

- Price group 3: Re-wool
- Price group 4: Melange Nap
- Price group 5: Twill Weave

Available in Extended fabrics/colours:

- Price group 3: 24/7+, Main Line Flax, Nexus, Oceanic*, Synergy, Xtreme* – Camira, Capture*, Cura*, Cyber, Fame, Focus*, Focus Melange*, Gaja Classic, Go Check, Select*, Step, Step Melange – Gabriel
- Price group 4: Blazer – Camira, Bardal, Setesdal, Sirdal*, Suldal* – GU, Steelcut 3* & Steelcut Trio 3* – Kvadrat, Acton - Vescom
- Price group 5: Amdal, Gandal+ – GU, Hallingdal 65
- Price on request: Global ESD – Bogesunds

* = non-standard colours



RBM Noor Wooden legs

- For colours and materials, see below Accessories/options. See also last pages of price list for complete matrix – RBM Chair Colours & Materials
- For fabrics, see RBM Standard, Curated and Extended Fabric & Colour Collection
- 6-8 mm polypropylene (PP) and 6.7 mm 3D veneer shells (oak or dark stained oak*)
- Weight: 5.4 kg model 6080, 4.6 kg model 6085
- Seat height 439 mm, Back height 357 mm. Chair width 490 mm, Chair height 832 mm, Chair depth 480 mm
- Seat frame in black painted aluminium as standard. (Polished aluminium optional*)
- Wooden legs: natural stained ash (Dark or white stained ash as optional)
- Not stackable
- Tested according to EN 16139, GS, BIFMA (USA) and AFRDI Green Tick (Australia)
- Environmental Product Declaration (EPD). RBM Noor 6080: 19.55 kg CO₂-eq, RBM Noor 6085: 14.04 kg CO₂-eq
- GREENGUARD Gold Certified
- Red Dot Design Award 2013
- Norwegian Design Council – Award for Design Excellence
- Design by StokkeAustad, Form Us With Love, Susanne Grønlund Design and Flokk design team

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
6080	RBM Noor 6080 • Polypropylene chair									3 819
6085	RBM Noor 6085 • 3D veneer chair • Oak									7 480
6080s	RBM Noor 6080S • Polypropylene chair • Seat upholstery • Customer's fabric: 2 chairs/seat 50 cm. fabric width min. 130 cm. PG 3		3 995	4 077	4 281	4 403	4 975	5 626	6 584	
6080sb	RBM Noor 6080SB • Polypropylene chair • Seat + back upholstery • Customer's fabric: 1 chair 53 cm. Fabric width min. 130 cm. PG 3		4 255	4 341	4 562	4 692	5 298	5 993	7 012	
6080f	RBM Noor 6080F • Polypropylene chair • Fully upholstered in selected fabrics. See below Accessories/options for complete list		4 736	4 834	5 074	5 219	5 895			

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
6085s	RBM Noor 6085S • 3D veneer chair • Oak • Seat upholstery • Customer's fabric: 2 chairs/seat 50 cm. fabric width min. 130 cm. PG 3		7 584	7 739	8 128	8 357	9 442	10 678	12 494	
6085sb	RBM Noor 6085SB • 3D veneer chair • Oak • Seat + back upholstery • Customer's fabric: 1 chair 53 cm. Fabric width min. 130 cm. PG 3		7 843	8 003	8 404	8 645	9 764	11 045	12 922	
Accessories/Options/Surcharges:										
	Additional price* for dark stained oak 3D veneer shell (Only for: 6085, 6085s, 6085sb)								314	
	Additional price* for seat frame in polished aluminium								139	
31051-01	Felt glides, black (per pcs)								16	

S=Standard Collection – normal delivery time from factory 10-15 working days. Applicable when all component options (fabric, shell, frame/legs) are standard (S).

E=Extended Collection – normal delivery time from factory 20-30 working days. Applicable when any or all component options selected are extended (E).
For larger orders, please contact Customer Service for delivery details.

RBM Noor F

Fully upholstered model 6080F – available in various fabrics and colours

Available in Standard fabrics/colours:

- Price group 1: Xtreme – Camira, Cura - Gabriel
- Price group 2: Select – Gabriel
- Price group 3: Oceanic – Camira, Capture, Focus, Focus Melange – Gabriel
- Price group 4: Sirdal, Suldal – GU, Steelcut 3 & Steelcut Trio 3 – Kvadrat

Available in Flokk & Kvadrat Curated collection (standard and non-standard colours):

- Price group 3: Re-wool
- Price group 4: Melange Nap
- Price group 5: Twill Weave

Available in Extended fabrics/colours:

- Price group 3: 24/7+, Main Line Flax, Nexus, Oceanic*, Synergy, Xtreme* – Camira, Capture*, Cura*, Cyber, Fame, Focus*, Focus Melange*, Gaja Classic, Go Check, Select*, Step, Step Melange – Gabriel
- Price group 4: Blazer – Camira, Bardal, Setesdal, Sirdal*, Suldal* – GU, Steelcut 3* & Steelcut Trio 3* – Kvadrat, Acton - Vescom
- Price group 5: Amdal, Gandal+ – GU, Hallingdal 65
- Price on request: Global ESD – Bogesunds

* = non-standard colours



RBM Noor Up

- Suitable for tables around 90 cm high
- For colours and materials, see below Accessories/options. See also last pages of price list for complete matrix – RBM Chair Colours & Materials
- For fabrics, see RBM Standard, Curated and Extended Fabric & Colour Collection
- 6-8 mm polypropylene (PP) and 6.7 mm 3D veneer shells (oak or dark stained oak*)
- Weight: 7.7 kg model 6090, 7.2 kg model 6095
- 12 mm medium-high steel sledgebase
- Seat height 630 mm, Back height 357 mm, Chair width 565 mm, Chair height 1025 mm, Chair depth 548 mm
- Armrests available in matching colours to frame
- Stackable up to 5 chairs
- Tested according to EN 16139, GS, BIFMA (USA), AFRDI Green Tick and AFRDI Blue Tick Level 4 (Australia) and Möbelfakta (Sweden)
- Environmental Product Declaration (EPD). RBM Noor 6090: 21.85 kg CO₂-eq, RBM Noor 6095: 16.34 kg CO₂-eq
- GREENGUARD Gold Certified
- Design by StokkeAustad, based on the design of the RBM Noor of StokkeAustad, Form Us With Love, Susanne Grønlund Design and Flokk design team

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
6090	RBM Noor Up 6090 • Polypropylene chair									2 281
6095	RBM Noor Up 6095 • 3D veneer chair • Oak									5 943
6090s	RBM Noor Up 6090S • Polypropylene chair • Seat upholstery • Customer's fabric: 2 chairs/seat 50 cm. fabric width min. 130 cm. PG 3		2 491	2 541	2 666	2 743	3 101	3 506	4 103	
6090sb	RBM Noor Up 6090SB • Polypropylene chair • Seat + back upholstery • Customer's fabric: 1 chair 53 cm. Fabric width min. 130 cm. PG 3		2 749	2 804	2 945	3 028	3 423	3 870	4 528	
6090f	RBM Noor Up 6090F • Polypropylene chair • Fully upholstered in selected fabrics. See below Accessories/options for complete list		3 173	3 238	3 403	3 497	3 951			

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
6095s	RBM Noor Up 6095S • 3D veneer chair • Oak • Seat upholstery • Customer's fabric: 2 chairs/seat 50 cm. fabric width min. 130 cm. PG 3		6079	6204	6512	6698	7565	8557	10013	
6095sb	RBM Noor Up 6095SB • 3D veneer chair • Oak • Seat + back upholstery • Customer's fabric: 1 chair 53 cm. Fabric width min. 130 cm. PG 3		6338	6466	6788	6983	7889	8924	10441	

Accessories/Options/Surcharges:

	Additional price* for dark stained oak 3D veneer shell (Only for: 6095, 6095s, 6095sb)	314
4107	RBM Noor armrests - pair	716
PD303	Felt glides - 4 units. (Spare part art.no. RS092031 per unit).	64

S=Standard Collection – normal delivery time from factory 10-15 working days. Applicable when all component options (fabric, shell, frame/legs) are standard (S).

E=Extended Collection – normal delivery time from factory 20-30 working days. Applicable when any or all component options selected are extended (E).

For larger orders, please contact Customer Service for delivery details.

RBM Noor F

Fully upholstered model 6090F – available in various fabrics and colours

Available in Standard fabrics/colours:

- Price group 1: Xtreme – Camira, Cura - Gabriel
- Price group 2: Select – Gabriel
- Price group 3: Oceanic – Camira, Capture, Focus, Focus Melange – Gabriel
- Price group 4: Sirdal, Suldal – GU, Steelcut 3 & Steelcut Trio 3 – Kvadrat

Available in Flokk & Kvadrat Curated collection (standard and non-standard colours):

- Price group 3: Re-wool
- Price group 4: Melange Nap
- Price group 5: Twill Weave

Available in Extended fabrics/colours:

- Price group 3: 24/7+, Main Line Flax, Nexus, Oceanic*, Synergy, Xtreme* – Camira, Capture*, Cura*, Cyber, Fame, Focus*, Focus Melange*, Gaja Classic, Go Check, Select*, Step, Step Melange – Gabriel
- Price group 4: Blazer – Camira, Bardal, Setesdal, Sirdal*, Suldal* – GU, Steelcut 3* & Steelcut Trio 3* – Kvadrat, Acton - Vescom
- Price group 5: Amdal, Gandal+ – GU, Hallingdal 65
- Price on request: Global ESD – Bogesunds

* = non-standard colours



RBM Allround

- Column frame in various colours. See below Accessories/options. See also last pages of price list for complete matrix – RBM Table Colours & Materials. Incl. levelling feet (up to 16 mm on all legs)
- Height: 50/73/90/110 cm
- Table top in Laminate and Linoleum (24 mm) or Melamine Beech (22 mm)
- For table top colours, see below Accessories/options. See also last pages of price list for complete matrix – RBM Table Colours & Materials
- Table edge band will match table top colour as standard. Optionally choose black, white or grey table edge band to any table top colour within our range without extra charge.
- RBM Allround table tops (rectangular and squared shapes) can be made available with MDF table core, chamfered edges of 20 degr and with a 10 mm black, white or grey edge band and black paint (see extra charge below)
- Tested in accordance with EN 15372 and Möbelfakta (Sweden)

Mel. = Melamine on chipboard (only beech); Lam. = Laminate on chipboard; Lino = Linoleum on chipboard

Item no	Base model +	Price Group (PG)	Mel.	Lam.	Lino	Price
5180-30	RBM Allround 5180-30 (E) • Tables, height 73/90 cm • 80 x 80 cm with column frame base with 4 star footbase		2 670	3 618	4 703	
5180-10	RBM Allround 5180-10 (E) • Table, height 73/90 cm • 180 x 90 cm with T frame • Distance between legs 110 cm		3 969	6 038	7 849	
5180-22	RBM Allround 5180-22 (S) • Table, height 73/90 cm • 180 x 80 cm with T frame • Distance between table legs 110 cm		3 872	5 734	7 454	
5180-24	RBM Allround 5180-24 (E) • Table, height 73/90 cm • 160 x 80 cm with T frame • Distance between table legs 110 cm		3 768	5 453	7 088	
5180-25	RBM Allround 5180-25 (S) • Table, height 73/90 cm • 140 x 80 cm with T frame • Distance between table legs 80 cm • Weight approx. 24.5 kg Lam.		3 669	5 375	6 988	
5180-27	RBM Allround 5180-27 (S) • Table, height 73/90 cm • 120 x 80 cm with T frame • Distance between table legs 80 cm		3 596	5 202	6 763	

Item no	Base model +	Price Group (PG)	Mel.	Lam.	Lino	Price
5180-36	RBM Allround 5180-36 (E) <ul style="list-style-type: none"> • Table, height 73/90 cm • 180 x 70 cm with T frame • Distance between table legs 110 cm 		3 768	5 433	7 063	
5180-38	RBM Allround 5180-38 (S) <ul style="list-style-type: none"> • Table, height 73/90 cm • 140 x 70 cm with T frame • Distance between table legs 80 cm 		3 618	5 253	6 830	
5180-39	RBM Allround 5180-39 (S) <ul style="list-style-type: none"> • Table, height 73/90 cm • 120 x 70 cm with T frame • Distance between table legs 80 cm 		3 520	4 963	6 452	
5182-10	RBM Allround 5182-10 (E) <ul style="list-style-type: none"> • Round table with frame base, height 50/73 cm • Ø60 cm - 4 star footbase 		2 710	3 769	4 900	
5182-102	RBM Allround 5182-102 (E) <ul style="list-style-type: none"> • High table, height 90/110 cm • Ø60 cm - 4 star footbase 		2 849	3 908	5 081	
5182-15	RBM Allround 5182-15 (S) <ul style="list-style-type: none"> • Round table with frame base, height 50/73 cm • Ø70 cm - 4 star footbase 		2 802	3 961	5 149	
5182-152	RBM Allround 5182-152 (E) <ul style="list-style-type: none"> • High table, height 90/110 cm • Ø70 cm - 4 star footbase 		2 939	4 101	5 332	

Item no	Base model +	Price Group (PG)	Mel.	Lam.	Lino	Price
5182-20	RBM Allround 5182-20 (E) <ul style="list-style-type: none"> • Round table with frame base, height 50/73 cm • Ø80 cm - 4 star footbase 		2976	4198	5457	
5182-202	RBM Allround 5182-202 (E) <ul style="list-style-type: none"> • High table, height 90/110 cm • Ø80 cm - 4 star footbase 		3114	4335	5636	
5182-25	RBM Allround 5182-25 (E) <ul style="list-style-type: none"> • Round table with frame base, height 50/73 cm • Ø100 cm - 5 star footbase 		3414	4898	6367	
5182-30	RBM Allround 5182-30 (E) <ul style="list-style-type: none"> • Round table with frame base, height 50/73 cm • Ø120 cm - 5 star footbase 		3684	5472	7114	
5184-01	RBM Allround 5184-01 (E) <ul style="list-style-type: none"> • Ellipse table • Height 73/90 cm • 180 x 100 cm with T frame, seats 6 • Distance between table legs 110 cm 		5013	6850	8905	


Accessories/Options/Surcharges:

	Add price for MDF, chamfer edge and 10 mm table top edge band in std colours.+20% on equivalent size/model in laminate	Price on request
RS091003	Linking device with screws, not mounted, see below. Available for rectangular table w/ straight edged table top Per set. We recommend 1 set for short table sides and 2 sets for longer table sides	129

S=Standard Collection - normal delivery time from factory 20-30 working days. Applicable when table top and base are standard (S).

E=Extended Collection - normal delivery time from factory 30-35 working days (Linoleum: 35 working days). Applicable when any or all component options selected are extended (E).

For larger orders, please contact Customer Service for delivery details.



RS091003

RBM u-Connect

- Folding tables
- A smart mobile folding table with wheels and can nest together when lined up in the vertical position. The table top is anchored with a bracket in the upright position. The table top can be tipped along its long axis
- Aluminium table legs and table tops available in various colours: See below Accessories/options. See also last pages of price list for complete matrix - RBM Table Colours & Materials
- Table top edge band will match table top colour as standard. Optionally choose black, white or grey table edge band to any table top colour within our range without extra charge.
- Table top in Laminate or Linoleum (24 mm) and Melamine Beech (22 mm)
- Height 73.5 cm
- Features Ø65 mm castors with soft rim and brake
- RBM u-Connect table tops (rectangular and squared shapes) can be made available with MDF table core, chamfered edges of 20 degr and with a 10 mm black, white or grey edge band and black paint (see extra charge below)
- Tested in accordance with EN 15372 and Möbelfakta (Sweden)
- Design by Acer Design a/s, Justus Kolberg, Erik Simonsen

Mel. = Melamine on chipboard (only beech); Lam. = Laminate on chipboard; Lino = Linoleum on chipboard

Item no	Base model +	Price Group (PG)	Mel.	Lam.	Lino	Price
3490-22	RBM u-Connect 3490-22 (S) <ul style="list-style-type: none"> • 180 x 80 cm • Distance between the table legs 163 cm • Weight appr 31.6 kg Lam. 		6 679	8 266	10 745	
3490-36	RBM u-Connect 3490-36 (S) <ul style="list-style-type: none"> • 180 x 70 cm • Distance between the table legs 163 cm • Weight appr 28.7 kg Lam. 		6 611	8 075	10 497	
3490-24	RBM u-Connect 3490-24 (S) <ul style="list-style-type: none"> • 160 x 80 cm • Distance between the table legs 143 cm • Weight appr 28.7 kg Lam. 		6 073	7 512	9 766	
3490-37	RBM u-Connect 3490-37 (S) <ul style="list-style-type: none"> • 160 x 70 cm • Distance between the table legs 143 cm • Weight appr 26.1 kg Lam. 		6 007	7 342	9 544	

Item no	Base model +	Price Group (PG)	Mel.	Lam.	Lino	Price
3490-25	RBM u-Connect 3490-25 (S) <ul style="list-style-type: none"> • 140 x 80 cm • Distance between the table legs 123 cm • Weight appr 25.4 kg Lam. 		5 522	6 831	8 880	
3490-38	RBM u-Connect 3490-38 (S) <ul style="list-style-type: none"> • 140 x 70 cm • Distance between the table legs 123 cm • Weight appr 23.2 kg Lam. 		5 460	6 674	8 676	
3490-52	RBM u-Connect 3490-52 (S) <ul style="list-style-type: none"> • 140 x 60 cm • Distance between the table legs 123 cm • Weight appr 21 kg Lam. 		5 401	6 559	8 527	
3490-27	RBM u-Connect 3490-27 (S) <ul style="list-style-type: none"> • 120 x 80 cm • Distance between the table legs 103 cm • Weight appr 22.6 kg Lam. 		5 444	6 641	8 634	
3490-39	RBM u-Connect 3490-39 (S) <ul style="list-style-type: none"> • 120 x 70 cm • Distance between the table legs 103 cm • Weight appr 21.6 kg Lam. 		5 389	6 505	8 457	
3490-54	RBM u-Connect 3490-54 (S) <ul style="list-style-type: none"> • 120 x 60 cm • Distance between the table legs 103 cm • Weight appr 18.5 kg Lam. 		5 336	6 373	8 285	

Accessories/Options/Surcharges:

		Price on request
	Add price for MDF, chamfer edge and 10 mm table top edge band in std colours.+20% on equivalent size/model in laminate	
	Additional price* for polished aluminium legs	1027
115000338008	Linking device RBM u-Connect, right (available for rectangular table w/ straight edged table top)	127
115000338009	Linking device RBM u-Connect, left (available for rectangular table w/ straight edged table top)	127
105000348010	Cable clips, black plastic	13

S=Standard Collection - normal delivery time from factory 20-30 working days. Applicable when table top and base are standard (S).

E=Extended Collection - normal delivery time from factory 30-35 working days (Linoleum: 35 working days). Applicable when any or all component options selected are extended (E).

For larger orders, please contact Customer Service for delivery details.

Lightweight core on request.



RBM u-Connect

115000338008 115000338009

Color selection chart:

- Polar White (S)
- Folkstone (S)
- Sarum Grey (E)
- Diamond Black (E)
- Pumice (E)
- Oyster Grey (E)
- Kashmir (E)
- Olive Lino (E)
- Smokey Blue Lino (E)
- Oak Natural (E)
- Pale Ash (E)
- Birch (E)
- Beech melamine (S)
- Elegant Oak (E)
- Refined Walnut (E)
- Dark Ash (E)
- Burgundy Lino (E)
- Iron Lino (E)
- Snow (S)
- Misty Grey (S)
- Steelgrey (S)
- Black (S)
- Polished aluminium (E)

RBM Eminent

- Ø38 mm tubular table leg in various colours. See below Accessories/options. See also last pages of price list for complete matrix – RBM Table Colours & Materials. Incl. levelling feet (up to 17 mm on all legs)
- Table tops in various colours, see below Accessories/options. See also last pages of price list for complete matrix – RBM Table Colours & Materials
- Table edge band will match table top colour as standard. Optionally choose black, white or grey table edge band to any table top colour within our range without extra charge.
- Table top in Laminate and Linoleum (24 mm) or Melamine Beech (22 mm)
- Height approx. 73.5 cm. Table leg adjustment screw on legs
- Table suspension brackets for several tables available for RBM Ana and Noor (except 6080/85). Cannot be attached to round tables
- Tested in accordance with EN 15372

Mel. = Melamine on chipboard (only beech); Lam. = Laminate on chipboard; Lino = Linoleum on chipboard

Item no	Base model +	Price Group (PG)	Mel.	Lam.	Lino	Price
4590-22	RBM Eminent 4590-22 (S) • 180 x 80 cm • Distance between the table legs 164 cm • Weight appr 33.2 kg Lam.		3 834	4 732	6 151	
4590-24	RBM Eminent 4590-24 (S) • 160 x 80 cm • Distance between the table legs 144 cm • Weight appr 29.8 kg Lam.		3 639	4 373	5 685	
4590-25	RBM Eminent 4590-25 (S) • 140 x 80 cm • Distance between the table legs 124 cm • Weight appr 27.3 kg Lam.		3 394	4 069	5 290	
4590-27	RBM Eminent 4590-27 (S) • 120 x 80 cm • Distance between the table legs 104 cm • Weight appr 24.2 kg Lam.		3 197	3 876	5 039	
4590-30	RBM Eminent 4590-30 (E) • 80 x 80 cm • Distance between the table legs 64 cm • Weight appr 18.7 kg Lam.		2 752	3 362	4 371	

Item no	Base model +	Price Group (PG)	Mel.	Lam.	Lino	Price
4590-38	RBM Eminent 4590-38 (S) <ul style="list-style-type: none"> • 140 x 70 cm • Distance between the table legs 124 cm • Weight appr 25.2 kg Lam. 		3 335	3 998	5 198	
4590-52	RBM Eminent 4590-52 (E) <ul style="list-style-type: none"> • 140 x 60 cm • Distance between the table legs 124 cm • Weight appr 23 kg Lam. 		3 457	4 140	5 383	
4590-54	RBM Eminent 4590-54 (S) <ul style="list-style-type: none"> • 120 x 60 cm • Distance between the table legs 104 cm • Weight appr 20.4 kg Lam. 		2 670	3 509	4 561	
4592-30	RBM Eminent 4592-30 (E) <ul style="list-style-type: none"> • Ø120 cm with 4 legs • Distance between the table legs 60 cm 		3 576	5 009	6 512	
4592-50	RBM Eminent 4592-50 (E) <ul style="list-style-type: none"> • Ø160 cm with 4 legs • Distance between the table legs 91 cm 		5 524			
4593-15	RBM Eminent 4593-15 (E) <ul style="list-style-type: none"> • Trapezium 140 x 70 x 70 x 70, depth 60 cm • Distance between the table legs 116/53/60 cm 		3 467	4 162	5 410	

Accessories/Options/Surcharges:

M130350	Bracket for 1 chair. RBM Ana **	745
M130355	Bracket for 2 chairs. RBM Ana**	1 017
M130360	Bracket for 2 chairs. RBM Ana (One chair per table side)**	1 017
M130365	Bracket for 4 chairs. RBM Ana **	1 317
M130370	Bracket for 6 chairs. RBM Ana**	1 645
M30410	Bracket for 1 chair. RBM Noor**	321
M09502	Castors RBM Eminent 4 pcs. Lockable	1 269

** See separate page "Table/chair suspension bracket system" for details

S=Standard Collection – normal delivery time from factory 20-30 working days. Applicable when table top and base are standard (S).

E=Extended Collection – normal delivery time from factory 30-35 working days (Linoleum: 35 working days). Applicable when any or all component options selected are extended (E).

For larger orders, please contact Customer Service for delivery details.



RBM Standard Folding Table

- Folding table - 100 mm height when collapsed (with 22 mm table top)
- Frame in various colours. See below Accessories/options. See also last pages of price list for complete matrix - RBM Table Colours & Materials. Incl. levelling feet (up to 12 mm on all legs)
- For table top colours, see below Accessories/options. See also last pages of price list for complete matrix - RBM Table Colours & Materials
- Table top edge band will match table top as standard. Optionally choose black, white or grey table edge band to any table top colour within our range without extra charge.
- Table top in Laminate (24 mm) or Melamine Beech (22 mm)
- Height, approx: 74.5 cm
- Trolley with frame. 3211 for transport of 5 upright RBM Standard folding tables. 3212 for transport of 13 upright RBM Standard folding tables. Both trolleys can hold 12 tables lying down
- Environmental Product Declaration (EPD). RBM Standard Folding Table 4680-90 w/black legs: 22.3 kg CO₂-eq
- Tested in accordance with EN 15372 and Möbelfakta (Sweden)

Mel. = Melamine on chipboard (only beech); Lam. = Laminate on chipboard

Item no	Base model +	Price Group (PG)	Mel.	Lam.	Price
4680-10	RBM Standard 4680-10 (E) <ul style="list-style-type: none"> • 180 x 90 cm • Distance between the table legs 103 cm • Weight appr 30.9 kg Lam. 		3 458	4 783	
4680-15	RBM Standard 4680-15 (S) <ul style="list-style-type: none"> • 120 x 90 cm • Distance between the table legs 103 cm • Weight appr 22.6 kg Lam. 		2 989	3 873	
4680-22	RBM Standard 4680-22 (S) <ul style="list-style-type: none"> • 180 x 80 cm • Distance between the table legs 103 cm • Weight appr 28.1 kg Lam. 		3 005	4 414	
4680-24	RBM Standard 4680-24 (S) <ul style="list-style-type: none"> • 160 x 80 cm • Distance between the table legs 103 cm • Weight appr 25.7 kg Lam. 		2 915	4 153	
4680-25	RBM Standard 4680-25 (S) <ul style="list-style-type: none"> • 140 x 80 cm • Distance between the table legs 103 cm • Weight appr 23.2 kg Lam. 		2 807	3 881	


Item no	Base model +	Price Group (PG)	Mel.	Lam.	Price
4680-27	RBM Standard 4680-27 (S) <ul style="list-style-type: none"> • 120 x 80 cm • Distance between the table legs 103 cm • Weight appr 20.8 kg Lam. 		2 506	3 567	
4680-36	RBM Standard 4680-36 (E) <ul style="list-style-type: none"> • 180 x 70 cm • Distance between the table legs 103 cm • Weight appr 25.4 kg Lam. 		2 915	3 933	
4680-38	RBM Standard 4680-38 (S) <ul style="list-style-type: none"> • 140 x 70 cm • Distance between the table legs 103 cm • Weight appr 21.1 kg Lam. 		2 538	3 506	
4680-39	RBM Standard 4680-39 (S) <ul style="list-style-type: none"> • 120 x 70 cm • Distance between the table legs 103 cm • Weight appr 18.9 kg Lam. 		2 508	3 367	
4680-52	RBM Standard 4680-52 (S) <ul style="list-style-type: none"> • 140 x 60 cm • Distance between the table legs 103 cm • Weight appr 18.9 kg Lam. 		2 689	3 536	
4680-54	RBM Standard 4680-54 (S) <ul style="list-style-type: none"> • 120 x 60 cm • Distance between the table legs 103 cm • Weight appr 17.1 kg Lam. 		2 315	3 172	

Item no	Base model +	Price Group (PG)	Mel.	Lam.	Price
4680-58	RBM Standard 4680-58 (S) <ul style="list-style-type: none"> • Exam table 90 x 60 cm • Distance between the table legs 75 cm • Weight appr 14.3 kg Lam. 		2 172	2 689	
4680-90	RBM Standard 4680-90 (S) <ul style="list-style-type: none"> • 120 x 45 cm • Distance between the table legs 103 cm • Weight appr 14.3 kg Lam. 		2 184	2 807	
4681-45	RBM Standard 4681-45 (E) <ul style="list-style-type: none"> • 1/2 circle with folding frame, Ø160 cm • Distance between the table legs 74 cm 		3 304	4 679	
4688-52	RBM Standard 4688-52 (E) <ul style="list-style-type: none"> • L-frame • 140 x 60 cm • Distance between the table legs 103 cm • Weight appr 18.9 kg Lam. 		2 689	3 536	
4688-54	RBM Standard 4688-54 (E) <ul style="list-style-type: none"> • L-frame • 120 x 60 cm • Distance between the table legs 103 cm • Weight appr 17.1 kg Lam. 		2 315	3 186	
4688-90	RBM Standard 4688-90 (E) <ul style="list-style-type: none"> • L-frame • 120 x 45 cm • Distance between the table legs 103 cm • Weight appr 14.3 kg Lam. 		2 184	2 807	

Accessories/Options/Surcharges:


4698-98	Front panel 120 x 20 cm. Not for tables with L-frame or 1/2 circle	1 174	1 588
4698-97	Front panel 120 x 30 cm. Not for tables with L-frame or 1/2 circle	1 239	1 731
4698-90	Front panel 120 x 45 cm. Not for tables with L-frame or 1/2 circle	1 135	1 831
RS091003	Linking device with screws, not mounted, see below. Available for rectangular table w/ straight edged table top Per set. We recommend 1 set for short table sides and 2 sets for longer table sides		129
RS092064	Standard Folding table levelling screw		11
3211	Trolley 125 x 71 cm, (without drive bar and retainer for trolley), transport tables (7) standing or (12) lying down		6 847
3212	Trolley 200x71 cm (w/o drive bar and retainer for trolley), transport tables 13 RBM Std. standing or 12 lying down		7 785
3213	Drive bar for trolley		2 968
3214	Retainer for trolley - requires 2 per trolley for transport of standing tables - price per unit		4 086

S=Standard Collection - normal delivery time from factory 20-30 working days. Applicable when table top and base are standard (S).
 E=Extended Collection - normal delivery time from factory 30-35 working days. Applicable when any or all component options selected are extended (E).
 For larger orders, please contact Customer Service for delivery details.
 Lightweight core on request.



RS091003

Physical measurements for RBM chairs



All measurements in mm. Where a chair is adjustable, minimum and maximum measurements are listed. Given measurements are based on EN 1335-1

Model	1 Seat height Standard gaslift B (143206-3A)	1 Seat height *	2 Seat depth	3 Back height	4 Chair depth	5 Max chair width ^{a)} w/armrests ^{b)}	6 Chair height	Chair weight (kg)
RBM Noor								
RBM Noor 6050/6055	-	439	437/432	357	490	^{a)} 543 ^{b)} 550	835	5.7/4.7
RBM Noor 6060/6065	-	439	437/432	357	525	^{a)} 557	835	6.5/6.2
RBM Noor 6070/6075	355-490	355-490	437/432	357	665	^{a)} 665	727-857	8.0/7.6
RBM Noor 6080/6085	-	439	437/432	357	480	^{a)} 490	832	5.4/4.6
RBM Noor Up 6090/6095	-	630	437/432	357	548	^{a)} 565	1025	7.7/7.2
RBM Ana								
RBM Ana 4340	-	430	438	400	515	^{a)} 490	825	3.7
RBM Bella								
RBM Bella 4445	-	450	445	480	550	^{a)} 505	942	5.0
RBM Bella 4446	-	450	445	480	550	^{a)} 540	950	6.4

* The distance from the floor to the seat surface is understood to mean the distance when the seat is subject to a 64 kg load in accordance with EN 16139. Based on Standard gaslift for chairs with footbase.

Please note that the measurements are not absolute. They may vary slightly from chair to chair.

Table/chair suspension bracket system - for RBM Eminent table

Measurements in mm.

Table size Length x width	Width between legs (width chair)	RBM Noor Item no 6050/6055* (M30410 Bracket for RBM Noor)	RBM Noor Item no 6060/6065* (M30410 Bracket for RBM Noor)	RBM Noor Item no 6070/6075* (M30410 Bracket for RBM Noor)	RBM Ana
1200x600	1046x(446)	1 1 on both sides	1 1 on both sides	1 1 on both sides	1 (M130350)
800x800	646x(646)	1 on both sides	1 on both sides	1 on both sides	2 on same side (M130355)
1200x800	1046	1 on both sides	1 on both sides	1 or 2 on both sides	2 (1 on both sides) (M130360)
1400x600	1246	1 or 2 on one side	1 or 2 on one side	1 or 2 on one side	4 (2 on both sides) (M130365)
1400x700	1246	1 or 2 on both sides	1 or 2 on both sides	1 or 2 on both sides	
1400x800	1246	1 or 2 on both sides	1 or 2 on both sides	1 or 2 on both sides	
1600x800	1446	1 or 2 on both sides	1 or 2 on both sides	1 or 2 on both sides	
1800x800	1646	1, 2 or 3 on both sides	1 or 2 on both sides	1 or 2 on both sides	6 (3 on both sides) (M130370)

* Valid for upholstered chair, upholstered Seat (S), upholstered Seat and Back (SB) and Fully upholstered (F) variants. Table suspension bracket not applicable for RBM 6080/6085

Tests and Certificates

Available certificates are marked with text or an X below:

	Technical						Environmental		
	EN 16139	EN 1729	EN 15372	GS (Germany)	ANSI BIFMA (USA)	AFRDI (Australia)	Möbelfakta (Sweden)	Environmental Product Declaration (EPD) <small>The figures represents the carbon footprint of the product and its packaging</small>	GREENGUARD Gold
RBM Ana	x	x					x	Model 4340: 13.92 kg CO ₂ -eq Graphite colour	x
RBM Bella	x								x
RBM Noor 4-leg	x	x		x	x	Green Tick	x*	Model 6050: 15.66 kg CO ₂ -eq	x
RBM Noor Sledgebase	x			x	x	Green Tick & Blue Tick 151 Rated Load	x*	Model 6060: 19.14 kg CO ₂ -eq	x
RBM Noor Footbase	x			x	x	Green Tick	x*		x
RBM Noor Wooden legs	x			x	x	Green Tick		Model 6080: 19.55 kg CO ₂ -eq Model 6085: 14.04 kg CO ₂ -eq	x
RBM Noor Up	x			x	x	Green Tick & Blue Tick Level 4	x*	Model 6090: 21.85 kg CO ₂ -eq Model 6095: 16.34 kg CO ₂ -eq	x
RBM Allround			x				x		
RBM Connect			x				x		
RBM Eminent			x						
RBM Standard Folding Table			x				x	Model 4680-90: 22.3 kg CO ₂ -eq	

An EPD (Environmental Product Declaration) is a document that summarises a product's environmental performance. An EPD is based on a life cycle assessment (LCA). The requirements for how an EPD is to be made are specified in the ISO 14025 standard. These standardised methods ensure that environmental information can be compared product by product, regardless of manufacturer, region or country.

The GREENGUARD Gold Indoor Air Quality Certification Program gives assurance that products designed for use in office environments and other indoor spaces meet strict chemical emissions limits, which contribute to the creation of healthier interiors.

* The Möbelfakta certificate does not include the dark stained oak 3D veneer shell.

NOTE! The list is not a full overview of our portfolio. For more information and details, please contact our Customer Service.

RBM Standard Fabric & Colour Collection

This is the RBM standard selection of textiles and colours for our chairs. All fabrics and leather in our Standard collection are of excellent quality and come from renowned suppliers we choose to collaborate with. Normal delivery time for RBM's Standard fabric collection is 10-15 days from factory. The guarantee requires that routine cleaning is performed on the chair and textile/leather.

Maintenance: Please vacuum with a furniture brush or use a clean, white cloth or sponge slightly dampened with clean, lukewarm water.

Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local RBM supplier to view a sample.

CURA (GABRIEL) - PRICE GROUP 1

Cura is a two-coloured fabric made from 98% post-consumer recycled polyester. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. High durability and stretchability and its soft, voluminous touch make Cura suitable for both office and lounge furniture.

Composition: 98% post-consumer recycled polyester, 2% polyester

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, CA TB 117-2013, ASTM E 84 Class I

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Wash or dry cleaning. Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)



CU60109

CU60110

CU60999

CU66165

XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition: 100% post-consumer recycled polyester

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013

Light fastness: 6 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable to 60°C and bleach cleanable (For further info follow Camira's cleaning guidelines - www.camirafabrics.com)



EXR009

EXR081

EXR145

SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

Composition: 85% New Zealand wool, 15% polyamide

Abrasion resistance: 200 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)



CAPTURE (GABRIEL) - PRICE GROUP 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strength. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

Composition: 85% New Zealand wool, 15% polyamide

Abrasion resistance: 200.000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN-ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)



FOCUS (GABRIEL) - PRICE GROUP 3

Focus is a woven felt fabric made of 100% long-staple worsted wool. It has an ultra soft and satiny touch combined with high strength obtained by use of high-quality worsted wool yarn and careful production processes. In addition to high durability, the fabric does not pill and will remain attractive over time regardless of wear and tear.

Composition: 100% New Zealand wool

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0.1 Cigarette and match, CA TB 117-2013, Class Uno UNI 9175 Class 1 | EMME, ÖNORM A33800-B1-B33825-Q1UK, AM 18 - NF D 60-013-(only for fabric)

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals and harmful chemicals, biodegradable, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Inger Mosholt Nielsen, colours Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



FC60999

FC61036

FC61039

FC61042

FOCUS MELANGE (GABRIEL) - PRICE GROUP 3

Focus Melange is a woven felt fabric made of 100% long-staple worsted wool. It has an ultra soft and satiny touch combined with high strength obtained by use of high-quality worsted wool yarn and careful production processes. In addition to high durability, the fabric does not pill and will remain attractive over time regardless of wear and tear. The equal thickness between the warp and weft yarn give a harmonious and symmetric melange colour expression.

Composition: 100% New Zealand wool

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0.1 Cigarette and match, CA TB 117-2013, Class Uno UNI 9175 Class 1 | EMME, ÖNORM A33800-B1-B33825-Q1UK

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals and harmful chemicals, biodegradable, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Inger Mosholt Nielsen, colours Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



FCM60308

FCM60310

FCM60900

FCM61240

FCM68247

OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic(from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.

Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013

Light fastness: 5 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable at 60°C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)



OCI001

OCI008

OCI011

OCI012

OCI014

PUXX 1 (ONIRO) - PRICE GROUP 3

PUxx 1 is a polyurethane leather with a soft touch that is easy to clean and disinfect. It is 100% waterproof, antibacterial & antifungal and resistant towards blood and urine. Being strong, durable and easy to maintain make it well suited for environments with high cleaning requirements.

Composition: Coating: 100% polyurethane with a cotton/polyester backing

Abrasion resistance: 300 000 Martindale (EN 530-2 (2010))

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 5852:2006 Crib 5, IMO 2010 FTP Code Annex 1 part 8

Light fastness: 6-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12:2016)


Environmental facts: Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company

Design: Oniro Design team

Produced in: Belgium

Cleaning: Alcohol, hydrogen peroxide & chlorine solutions. Never use solvents. For more info please contact supplier www.oniro.nl

Not available for RBM Noor F



PU215816

ILLUSION (NEVOTEX) - PRICE GROUP 4

Illusion is a resistant easy cleanable synthetic leather with a polyurethane (PU) coating on a cotton backing. It has a semi matte surface with a softly grained structure and is recommended to use in environments with high cleaning demands.

Composition: Coating: 100% Polyurethane, Backing: 100% Cotton

Abrasion resistance: 500 000 Martindale (EN ISO 5470-2:2003)

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 5852:2006 Crib 5, DiN 4102-1B2:1998 (B2), IMO 2010 FTP Code Annex 1 part 8

Light fastness: >7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12.2016)

Surface resistance: 4-5 (EN12720)

Environmental facts: Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company

Design: Nevotex Design team

Produced in: Belgium

Cleaning: Alcohol (75%), hydrogen peroxide & chlorine. For specific recommendations please contact supplier www.nevotex.com

Not available for RBM Noor F



ILU110

SIRDAL (GU) - PRICE GROUP 4

Sirdal is part of the 100% Norwegian wool trio Sirdal, Suldal and Setesdal. These fabrics are uniquely short-travelled in every part of the process – 100% pure Norwegian wool manufactured in Norway. Norwegian wool with its distinctive brilliance, resilience and durability is expressed through rich structures that evoke authenticity paired with chic and modern comfort.

Composition: 100% Virgin Norwegian wool

Abrasion resistance: 57 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), IMO FTP code 2010: Part 8

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 3-4 (EN ISO 12945-2)

Environmental facts: Locally produced, 100% free of heavy metals, ISO 14001 certified company

Design: GU design team/Ragnhild Nordhagen, Flokk Design team/Pernille Stoltze

Produced in: Norway

Cleaning: Professional dry cleaning (For further info follow GU's cleaning guidelines – www.gu.no)



SRD190



SRD630



SRD730



SRD960

SULDAL (GU) - PRICE GROUP 4

Suldal is part of the 100% Norwegian wool trio Sirdal, Suldal and Setesdal. These fabrics are uniquely short-travelled in every part of the process – 100% pure Norwegian wool manufactured in Norway. Norwegian wool with its distinctive brilliance, resilience and durability is expressed through rich structures that evoke authenticity paired with chic and modern comfort.

Composition: 100% Virgin Norwegian wool

Abrasion resistance: > 57 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), IMO FTP code 2010: Part 8

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 3-4 (EN ISO 12945-2)

Environmental facts: Locally produced, 100% free of heavy metals, ISO 14001 certified company

Design: GU Design Team/Ragnhild Nordhagen, Flokk Design Team/Pernille Stoltze

Produced in: Norway

Cleaning: Professional dry cleaning (For further info follow GU's cleaning guidelines – www.gu.no)



SUL180

SUL810

STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durability, soft touch and colour depth. The construction create a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

Composition: 90% worsted new wool, 10% polyamide

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (with treatment), BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered

Light fastness: 5 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 3-4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines – www.kvadrat.dk)



STT190

STT655

STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective.

Composition: 90% worsted new wool, 10% polyamide

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, AS/NZS 3837, Class 2, BS 5852 Crib 5, BS 5852 part 1, BS 5852 ignition source 3, DIN 4102 B2, ÖNORM B1/Q1,), IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, CA TB 117-2013

Light fastness: 6-7 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, Greenguard Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning (For further info follow Kvadrat's cleaning guidelines - www.kvadrat.dk)



STT133

STT153

STT213

STT253

STT276

STT383

STT645

STT796

PALOMA SOFT (WOLLSDORF) - PRICE GROUP 6

High quality semi-aniline leather. All our standard colours from Paloma have a special finish adding a particular softness to the leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 -Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: 2,0 N/cm ISO 11644

Tear-strength: 20 N/mm DIN 53329- A


Environmental facts: Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company

Produced in: Austria

Animal Welfare: All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal. Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)

Cleaning: Follow the leather care guide from our supplier - www.wollsdorf.com

Not available for RBM Noor F and RBM Ana



ATG55115

ATG55130

ATG55185

ATG55206

ATG56100

ELMOSOFT (ELMO) - PRICE GROUP 7

Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: ≥ 2 N/cm - ISO 11644

Tear-strength: ≥ 20 N/cm DIN 53329-A

Environmental facts: 100% free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO2 neutral on energy.

Animal Welfare: All hides are by-products from the meat and dairy industries with traceability back to the farm, Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)

Produced in: Sweden

Cleaning: (Follow the guidelines by our supplier – www.elmoleather.com)

Not available for RBM Noor F and RBM Ana



EL33004

EL93068

EL99999

RBM NOOR F AND FABRICS

Fully upholstered model - 6050F, 6060F, 6070F, 6080F, 6090F – available in various fabrics and colours

Available in Standard fabrics/colours:

- Price group 1: Xtreme – Camira, Cura - Gabriel
- Price group 2: Select – Gabriel
- Price group 3: Oceanic – Camira, Capture, Focus, Focus Melange – Gabriel
- Price group 4: Sirdal, Suldal – GU, Steelcut 3 & Steelcut Trio 3 – Kvadrat

Available in Flokk & Kvadrat Curated collection (standard and non-standard colours):

- Price group 3: Re-wool
- Price group 4: Melange Nap
- Price group 5: Twill Weave

Available in Extended fabrics/colours:

- Price group 3: 24/7+, Main Line Flax, Nexus, Oceanic*, Synergy, Xtreme* – Camira, Capture*, Cura*, Cyber, Fame, Focus*, Focus Melange*, Gaja Classic, Go Check, Select*, Step, Step Melange – Gabriel
- Price group 4: Blazer – Camira, Bardal, Setesdal, Sirdal*, Suldal* – GU, Steelcut 3* & Steelcut Trio 3* – Kvadrat, Acton - Vescom
- Price group 5: Amdal, Gandal+ – GU, Hallingdal 65
- Price on request: Global ESD – Bogesunds

* = non-standard colours

Curated Fabric & Colour collection

FLOKK & KVADRAT CURATED COLLECTION

A carefully selected collection of textiles and colours chosen to provide more specific and inspiring choices for our customers.

The assortment consists of five different ranges of textiles in a variety of colours and textures – each with distinct features and expressions.

The textile and colour diversity reflects high design and quality and meets the technical and environmental requirements for office interiors and public spaces.

For technical specification, product description and colour overview see website and colour card.

Curated textiles and colours in price group 3:

Atlas: 131, 461, 501, 531, 571, 671, 731, 781, 911, 981

Re-wool: 128, 198, 448, 458, 558, 568, 628, 648, 718, 758, 768, 858

Curated textiles and colours in price group 4:

Melange Nap: 111, 171, 191, 211, 241, 371, 411, 521, 651, 751, 911, 951

Curated textiles and colours in price group 5:

Twill Weave: 190, 280, 430, 530, 780, 940, 990

For more information see our website: [Flokk and Kvadrat curated Collection](#)



RBM Extended Fabric & Colour Collection

If you cannot find what you are looking for in our RBM Standard or Curated collection, we also provide a wider selection of fabrics in various colours from different suppliers we collaborate with. The fabrics are tested and quality-approved to satisfy our requirements. Delivery time for RBM Chairs upholstered with extended fabrics is 20-25 working days from factory, provided fabric is available at suppliers stock. Transport days to be added.

COM (Customer's Own Material)

Delivery time is more than 20 working days from factory and confirmation of order, transport in addition. Extra time for testing and approval of fabrics may also occur. Price group 3.

Special

Other fabrics. Prices and delivery on request.

SUPPLIER/COLLECTION	PRICE GROUP	SUPPLIER/COLLECTION	PRICE GROUP	SUPPLIER/COLLECTION	PRICE GROUP
Bogesunds Väveri – www.bogesunds.se		GU – www.gu.no		Nevotex – www.nevotex.com	
Global ESD ^{F)}	OR	Amdal ^{F)}	5	Illusion* (polyurethane)	4
		Bardal ^{F)}	4		
		Gandal+ ^{F)}	5	Oniro – www.oniro.nl	
Camira Fabrics – www.camirafabrics.com		Heidal	4	PUxx 1* (polyurethane)	3
24/7+ ^{F)}	3	Hemsedal	5	PUxx 2 (polyurethane)	3
24/7 Flax	3	Morgedal	4		
Blazer ^{F)}	4	Setesdal ^{F)}	4	Spradling – www.spradling.eu	
Craggan Flax	4	Sirdal* ^{F)}	4	Dolce (polyurethane)	4
Era	3	Suldal* ^{F)}	4	Valencia (vinyl)	3
Gravity	3				
Main Line Flax ^{F)}	3	Kvadrat – www.kvadrat.dk			
Nexus ^{F)}	3	Atlas**	3	Svensson – www.ludvigsvensson.com	
Oceanic * ^{F)}	3	Canvas 2	5	Khaki (Trevira CS)	3
Synergy ^{F)}	3	Clara 2	4	Semi	3
Urban	3	Coda 2	6	Step	4
Xtreme* ^{F)}	3	Divina 3	5		
		Divina MD	5	Vescom – www.vescom.com	
Elmo Leather – www.elmoleather.com		Divina Melange 3	5	Acton ^{F)}	4
Elmosoft*	OR	Fiord 2	4	Gamut	4
		Foss	5	Silica (silicone)	5
		Hallingdal 65 ^{F)}	5		
Gabriel – www.gabriel.dk		Melange Nap** ^{F)}	4	Wollsdorf – www.wollsdorf.com	
Breeze Fusion	4	Pro 3 (Trevira CS)	5	Paloma	OR
Capture* ^{F)}	3	Remix 3	4		
Chili	3	Re-wool** ^{F)}	3		
Comfort+ (polyester & polyurethane)	5	Rime	5		
Crisp	3	Steelcut 3* ^{F)}	4		
Cura* ^{F)}	3	Steelcut Trio 3* ^{F)}	4		
Cyber ^{F)}	3	Tonus 4	5		
Fame ^{F)}	3	Twill Weave** ^{F)}	5		
Focus* ^{F)}	3				
Focus Melange* ^{F)}	3				
Gaja Classic ^{F)}	3				
Gaja C2C	3				
Go Check ^{F)}	3				
Passion	4				
Select* ^{F)}	3				
Step (Trevira CS) ^{F)}	3				
Step Melange (Trevira CS) ^{F)}	3				

* Non standard colours

** Non curated colours

^{F)} = Available for RBM Noor F

OR = on request

RBM CHAIR COLOURS & MATERIALS – MATRIX



	RBM Ana	RBM Bella	RBM Noor 6050/6055	RBM Noor 6060/6065	RBM Noor 6070/6075	RBM Noor 6080/6085	RBM Noor Up 6090/6095
Poppy	●		○	○	○	○	○
Vanilla	●		●	●	●	●	●
Straw			○	○	○	○	○
Rose			○	○	○	○	○
Coral			○	○	○	○	○
Sky			○	○	○	○	○
Sea Green	○		●	●	●	●	●
Teal Blue	●		●	●	●	●	●
Forest			○	○	○	○	○
Misty Grey	●		●	●	●	●	●
Clay			●	●	●	●	●
Graphite			●	●	●	●	●
Graphite – recycled PP	●						
Charcoal	●						
Oak		●	●	●	●	●	●
Dark stained Oak			○	○	○	○	○
Beech		●					
Graphite (Dark stained Beech)		○					
Birch		●					
White CPL		○					
Grey CPL		○					



	RBM Ana	RBM Bella	RBM Noor 6050/6055	RBM Noor 6060/6065	RBM Noor 6070/6075	RBM Noor 6080/6085	RBM Noor Up 6090/6095
Lingon RAL 3000	○		○	○			○
Snow (White) RAL 9016	●	○	○	●	○		●
Canola				○			○
Rose			○	○			○
Aqua				○			○
Sea Green	○		●	●			●
Teal Blue	●		●	●			●
Forest			○	○			○
Misty Grey	●		○	○			○
Black RAL 9005	●	●	●	●	●		●
Metalsilver	●	●	●	●			●
Steelgrey	●	●	●	●			●
Polished Alu					○		
White stained Ash						○	
Stained Ash						●	
Dark stained Ash						○	
Black painted Aluminium frame						●	
Polished Aluminium frame						○	

● Standard ○ Extended

RBM Table Colours and materials

The Standard Table Top collection consists of a selection table top sizes marked **S** (Standard) below. In addition we also offer other sizes but with longer delivery time - marked with (E) (Extended):

RBM TABLE TOP SIZES

Size (in cm)	RBM Allround	RBM u-Connect	RBM Eminent	RBM Standard Folding table
Ø60	(E)			
Ø70	S (E)			
Ø80	(E)			
Ø100	(E)			
Ø120	(E)		(E)	
Ø160			(E)	
1/2 circle Ø160				(E)
Ellipse 180x100	(E)			
Trapezium 140x70x70x70, depth 60			(E)	
80x80	(E)		(E)	
90x60				S
120x45				S (E)
120x60		S	S	S (E)
120x70	S	S		S
120x80	S	S	S	S
120x90				S
140x60		S	(E)	S (E)
140x70	S	S	S	S
140x80	S	S	S	S
160x70		S		
160x80	(E)	S	S	S
180x70	(E)	S		(E)
180x80	S	S	S	S
180x90	(E)			(E)

RBM TABLE TOP COLLECTION

RBM Table Top Collection consists of table tops with laminate and linoleum (24 mm) and melamine (22 mm) - with 2 mm thick shock absorbing ABS edges.

Table tops in high pressure laminate (HPL) are highly resistant, hygienic and a durable solution. It consists of several layers of special decorative coloured paper or real wood veneer, which is impregnated with heat-treated synthetic resins. The layers are pressed together using heat and high pressure. The table tops also have very good heat-resistant properties. The robust surface requires no maintenance.

A melamine table top is a durable solution that requires no maintenance. The core of the melamine top consists of chipboard, onto which melamine foil is glued. The surface is durable and offers scratch- and heat-resistant properties.

For both laminate and melamine tops: Clean with a soft, damp, non-abrasive cotton cloth and a mild liquid detergent.

Linoleum is distinctive in the way it looks as well as the way it feels. It has an earthy, solid quality to it, yet it also 'gives' when you touch it. It has a natural matt appearance, feels warm to the touch and does not show fingerprints.

Regular cleaning: Clean with a damp non-abrasive cotton cloth and a pH neutral cleaner and wipe dry to remove any residues. M2 Care Desktop Maintainer or similar can be used as a regular cleaner. Over time any surface material will be subjected to minor marks and blemishes. In order to maintain the optimum, natural appearance of the Linoleum table top, M2 Care Desktop Maintainer or similar should be used periodically. Do not use alkaline or alcohol based cleaning products since it will damage the surface.

Other table solutions, price and delivery on request.

RBM TABLE COLOURS & MATERIALS – MATRIX

	RBM Allround	RBM u-Connect	RBM Eminent	RBM Standard Folding Table
Polar White Mat Formica F2255 (HPL*)	●	●	●	●
Folkstone Formica F7927 (HPL*)	●	●	●	●
Sarum Grey Formica F2770 (HPL*)	○	○	○	○
Diamond Black Formica F2253 (HPL*)	○	○	○	○
Oak natural Formica F1079 (HPL*)	○	○	○	○
Birch Formica F7921 (HPL*)	○	○	○	○
Beech Melamine M3227	●	●	●	●
Pale Ash Nat Formica F1004 (HPL*)	○	○	○	○
Elegant Oak Nat Formica F5374 (HPL*)	○	○	○	○
Refined Walnut Nat Formica F5872 (HPL*)	○	○	○	○
Dark Ash Nat Formica F8575 (HPL*)	○	○	○	○
Kashmir Mat Formica F0187 (HPL*)	○	○	○	○
Oyster Grey Mat Formica F7929 (HPL*)	○	○	○	○
Pumice Mat Formica F7858 (HPL*)	○	○	○	○
Olive Forbo Desktop Linoleum 4184	○	○	○	
Smokey Blue Forbo Desktop Linoleum 4179	○	○	○	
Burgundy Forbo Desktop Linoleum 4154	○	○	○	
Iron Forbo Desktop Linoleum 4178	○	○	○	
				
Snow RAL 9016	●	●	●	
Misty Grey		●		
Metalsilver	●		●	●
Steelgrey	●	●	●	●
Black RAL 9005/RAL9011	●	●	●	●
Polished aluminium		○		



Flokk is the leading manufacturer of high-quality workplace furniture in Europe, developing a growing family of global brands. We are the proud owner of product brands HÅG, Offecct, Giroflex, RH, Profim, 9to5 Seating, BMA, RBM, Connection and Malmstolen. A structured focus on the environment through several decades has enabled us to be a leader in the development of sustainable furniture.

Our head office is in Oslo, Norway, with main production sites in Røros (Norway), Nässjö (Sweden), Turek (Poland), Huddersfield (UK) and Hawthorne (USA). In addition, we keep sales offices in Norway, Sweden, Denmark, Germany, Belgium, the Netherlands, UK, France, Switzerland, Singapore, USA, Canada, China and Australia. Flokk products are sold in more than 80 countries worldwide. About 2000 employees work together to realize the vision of Flokk: Inspire great work.

Flokk A/S
Sorgenfrivej 18
DK - 2800 Kongens Lyngby

Phone: +45 99 50 55 00
E-mail: info-dk@flokk.com
www.flokk.com